

Page 1/11

Safety Data Sheet

according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

1 Identification

- · Product identifier
- Trade name: <u>G77Y POLYESTER PUTTY BEIGE</u>
- · Article number: G77Y
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Sector of Use


SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category

PC9a Coatings and paints, thinners, paint removers PC9b Fillers, putties, plasters, modelling clay

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Manufacturer: General Paint Company S.A.L. P.O.Box 7623 Beirut, Lebanon info@generalpaint.biz www.generalpaint.biz Importer: Payless Services Pty. Ltd. A Pacific Express Group Company 103 Eldridge Road Bankstown, NSW, 2200 Australia
- Further information obtainable from: Product Safety Department
- Emergency telephone number: Phone : +61 297085698
- Mobile: +61 413703038

2 Hazard(s) Identification



Flammable liquids – Category 3

H226 Flammable liquid and vapour.

GHS08 health hazard

(Contd. on page 2)

AL



Page 2/11

Safety Data Sheet according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

Trade name: G77Y POLYESTER PUTTY BEIGE

	(Contd. of page 1)
Carcinogenicity – Category 2	H351 Suspected of causing cancer.
Reproductive toxicity – Category 2	H361d Suspected of damaging the unborn child.
Specific target organ toxicity (repeated exposure) – Category 2	H373 May cause damage to the hearing organs through prolonged or repeated exposure.
GHS07	
Skin corrosion/irritation – Category 2	H315 Causes skin irritation.
Eye damage/irritation – Category 2A	H319 Causes serious eye irritation.
Label elements GHS label elements The product is classified and labelled according to th Hazard pictograms	ne Globally Harmonised System (GHS).
GHS02 GHS07 GHS08	
· Signal word Warning	
· Hazard-determining components of labelling:	
styrene (>10-≤25 %)	
Hazard statements	
Flammable liquid and vapour.	
Causes skin irritation.	
Causes serious eye irritation.	
Suspected of causing cancer.	
Suspected of damaging the unborn child. May cause damage to the hearing organs through p	rolonged or repeated exposure
Precautionary statements	
If medical advice is needed, have product container	or label at hand.
Keep out of reach of children.	
Read label before use.	
Keep away from heat/sparks/open flames/hot surfac	
Use explosion-proof electrical/ventilating/lighting equ	
IF ON SKIN (or hair): Remove/Take off immediate	y all contaminated clothing. Rinse skin with water/
shower.	al minutos. Pomovo contact lances if present and
IF IN EYES: Rinse cautiously with water for severa easy to do. Continue rinsing. Store locked up.	ai minutes. Remove contact lenses, il present and
	cal/regional/national/international regulations.



Page 3/11

Safety Data Sheet

according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

(Contd. of page 2)

>10-*≤*25% >10-*≤*25%

Trade name: G77Y POLYESTER PUTTY BEIGE

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

7727-43-7 barium sulphate, natural

100-42-5 styrene

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• For safety reasons unsuitable extinguishing agents: Water with full jet

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

AU



Safety Data Sheet

according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

Trade name: G77Y POLYESTER PUTTY BEIGE

· Protective equipment: Mouth respiratory protective device.

(Contd. of page 3)

Page 4/11

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation. • **Reference to other sections**
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 3
- Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 5)



Page 5/11

Safety Data Sheet according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

Trade name: G77Y POLYESTER PUTTY BEIGE

	(Contd. of page 4)	
 Ingredients with limit values that require monitoring at the workplace: 7727-43-7 barium sulphate, natural 		
100-4	2-5 styrene	
WES	Short-term value: 426 mg/m³, 100 ppm Long-term value: 213 mg/m³, 50 ppm	
 Perso Gene Keep Imme Wash Store Avoid Resp In case exposition 	tional information: The lists valid during the making were used as basis. onal protective equipment: aral protective and hygienic measures: away from foodstuffs, beverages and feed. diately remove all soiled and contaminated clothing hands before breaks and at the end of work. protective clothing separately. contact with the eyes and skin. iratory protection: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer sure use self-contained respiratory protective device.	
MAS.	Protective gloves	
Due prepa Seleo	love material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the tration/ the chemical mixture. to of the glove material on consideration of the penetration times, rates of diffusion and the tradation	
 Mate The s quali subst be ch Pene 	rial of gloves election of the suitable gloves does not only depend on the material, but also on further marks of ty and varies from manufacturer to manufacturer. As the product is a preparation of several ances, the resistance of the glove material can not be calculated in advance and has therefore to ecked prior to the application. tration time of glove material	
	exact break through time has to be found out by the manufacturer of the protective gloves and has	
to be	observed. (Contd. on page 6)	



Safety Data Sheet according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

(Contd. of page 5)

Page 6/11

Trade name: G77Y POLYESTER PUTTY BEIGE

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

General Information	
Appearance: Form:	putty
Colour:	Yellow
Odour:	Characteristic
Odour threshold:	Not determined.
	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	
Flash point:	31 °C
······································	Flammable.
Auto-ignition temperature:	480 °C
	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air
	vapour mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	8.9 Vol %
Vapour pressure at 20 °C:	6 hPa
Density at 20 °C:	1.82 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	11.0 %
VOC (EC)	199.9 g/l

AU



Page 7/11

Safety Data Sheet

according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

(Contd. of page 6)

Trade name: G77Y POLYESTER PUTTY BEIGE

· Solids content:

89.0 %

· Other information

No further relevant information available.

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer.
- · Reproductive toxicity Suspected of damaging the unborn child.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure
- May cause damage to the hearing organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)



Page 8/11

Safety Data Sheet

according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

(Contd. of page 7)

Trade name: G77Y POLYESTER PUTTY BEIGE

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
ADG, IMDG, IATA	UN1263
UN proper shipping name	
ADG	1263 PAINT RELATED MATERIAL
IMDG, IATA	PAINT RELATED MATERIAL
Transport hazard class(es)	
ADG, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group	
ADG, IMĎG, IATA	<i>III</i>
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
	F-E, <u>S-E</u>
EMS Number:	1- <u>L</u> , <u><u>-</u>L</u>



Page 9/11

Safety Data Sheet

according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

Trade name: G77Y POLYESTER PUTTY BEIGE

	(Contd. of page
Transport in bulk according to An Marpol and the IBC Code	nex II of Not applicable.
Transport/Additional information:	
ADG	
Limited quantities (LQ)	5L
· Excepted quantities (ÉQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
Limited quantities (LQ)	5L
· Excepted quantities (ÉQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1263 PAINT RELATED MATERIAL, 3, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • Australian Inventory of Industrial Chemicals

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

100-42-5 styrene

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

GHS label elements
 The product is classified and labelled according to the Globally Harmonised System (GHS).
 Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labelling: styrene (>10-≤25 %)
- Hazard statements Flammable liquid and vapour.

(Contd. on page 10)

S5

٠AU



Page 10/11

Safety Data Sheet

according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

Trade name: G77Y POLYESTER PUTTY BEIGE

(Contd. of page 9) Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. Suspected of damaging the unborn child. May cause damage to the hearing organs through prolonged or repeated exposure. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof electrical/ventilating/lighting equipment. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category P5c FLAMMABLE LIQUIDS • Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- Abbreviations and acronyms: ICAO: International Civil Aviation Organisation
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flammable liquids Category 3: Flammable liquids Category 3
- Skin corrosion/irritation Category 2: Skin corrosion/irritation Category 2 Eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A

⁽Contd. on page 11)

AL



Safety Data Sheet

according to WHS Regulations

Printing date 08.07.2024

Version number 1.2

Revision: 08.07.2024

Page 11/11

Trade name: G77Y POLYESTER PUTTY BEIGE

(Contd. of page 10)

Carcinogenicity – Category 2: Carcinogenicity – Category 2 Reproductive toxicity – Category 2: Reproductive toxicity – Category 2 Specific target organ toxicity (repeated exposure) – Category 2: Specific target organ toxicity (repeated exposure) – Category 2 • * **Data compared to the previous version altered.**

AU -