

Page 1/12

## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

#### 1 Identification

- · Product identifier
- · Trade name: GO902 WHITE
- · Article number: GO902
- · Application of the substance / the mixture refer to the relevant Technical Data Sheet
- · Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* General Paint Co. S.A.L. P.O. Box 7623 Beirut LEBANON info@generalpaint.biz

- · Information department: Product Safety Department
- Emergency telephone number: 1-800-535-5053 contract number (89244)

#### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

Flammable liquids 4 H227 Combustible liquid.

- · Label elements
- GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: titanium dioxide
- Hazard statements
   Combustible liquid.
   Suspected of causing cancer. Route of exposure: Inhalation.
   Precautionary statements
- Obtain special instructions before use.

(Contd. on page 2)

<sup>-</sup> US



Page 2/12

## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

#### Trade name: GO902 WHITE

	(Contd. of page 1)
Do not handle until all safety precautions have been read and understood.	
Keep away from flames and hot surfaces. – No smoking.	
Wear protective gloves/protective clothing/eye protection/face protection.	
IF exposed or concerned: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/internation	nal regulations.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 0\\ \textbf{Fire} = 2\\ \textbf{Reactivity} = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
$\frac{\text{HEALTH}}{\text{Health}} = 0$	
FIRE 2 $Fire = 2$	
<b>REACTIVITY</b> $\bigcirc$ Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· PBT: Not applicable.	
· vPvB: Not applicable.	

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

<ul> <li>Dangerous</li> </ul>	components:	
13463-67-7	titanium dioxide	>10- <i>≤</i> 25%
111-76-2	2-butoxyethanol	>2.5- <i>≤</i> 10%
67-63-0	propan-2-ol	>2.5- <i>≤</i> 10%

### 4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

US



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

#### Trade name: GO902 WHITE

- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

#### · Extinguishing media

- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

· Reference to other sections

No dangerous substances are released.

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

30 mg/m <sup>3</sup>
60 ppm
400 ppm
3.7 ppm
0.1 ppm
8.3 ppm
330 mg/m <sup>3</sup>
120 ppm
2000* ppn
(Contd. on page

Page 3/12

(Contd. of page 2)



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Page 4/12

#### Trade name: GO902 WHITE

108-01-0	2-dimethylaminoethanol	Contd. of page 3) 12 ppm
104-76-7	2-Ethyl-1-hexanol	100 ppm
140-88-5	ethyl acrylate	36 ppm
· PAC-3:		
13463-67-7	titanium dioxide 2	,000 mg/m³
		'00 ppm
		2000** ppm
		'2 ppm
		'00 ppm
140-88-5	ethyl acrylate 2	240 ppm

#### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 10
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 111-76-2 2-butoxyethanol

PEL Long-term value: 240 mg/m<sup>3</sup>, 50 ppm Skin

(Contd. on page 5)



# Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Page 5/12

#### Trade name: GO902 WHITE

REL	(Contd. of page
	Long-term value: 24 mg/m³, 5 ppm Skin
τιv	Long-term value: 20 ppm
120	BEI, A3
67-6	3-0 propan-2-ol
PEL	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
τιv	Short-term value: 400 ppm
	Long-term value: 200 ppm
	BEI, A4
Ingr	edients with biological limit values:
111-	76-2 2-butoxyethanol
BEI	200 mg/g creatinine
	Medium: urine
	Time: end of shift
07.0	Parameter: Butoxyacetic acid (BAA) (with hydrolysis)
	3-0 propan-2-ol
BEI	40 mg/L Medium: urine
	Time: end of shift at end of workweek
	Parameter: Acetone (background, nonspecific)
Add	itional information: The lists that were valid during the creation were used as basis.
	-
	osure controls
	onal protective equipment:
Gen	eral protective and hygienic measures:
<b>Gen</b> Keep	eral protective and hygienic measures:
<b>Gen</b> Keej Was	eral protective and hygienic measures: b away from foodstuffs, beverages and feed. h hands before breaks and at the end of work.
<b>Gen</b> Keep Was Store	eral protective and hygienic measures: a away from foodstuffs, beverages and feed. h hands before breaks and at the end of work. e protective clothing separately.
Gen Keep Was Store <b>Brea</b>	eral protective and hygienic measures: b away from foodstuffs, beverages and feed. h hands before breaks and at the end of work.
Gen Keep Was Store <b>Brea</b>	eral protective and hygienic measures: a way from foodstuffs, beverages and feed. h hands before breaks and at the end of work. protective clothing separately. hthing equipment: Not required.
Gen Keep Was Store <b>Brea</b>	eral protective and hygienic measures: b away from foodstuffs, beverages and feed. h hands before breaks and at the end of work. b protective clothing separately. hthing equipment: Not required. ection of hands:
Gen Keep Was Store <b>Brea</b>	eral protective and hygienic measures: a way from foodstuffs, beverages and feed. h hands before breaks and at the end of work. protective clothing separately. hthing equipment: Not required.
Gen Keep Was Store Brea Prot	eral protective and hygienic measures: b away from foodstuffs, beverages and feed. h hands before breaks and at the end of work. b protective clothing separately. hthing equipment: Not required. ection of hands: Protective gloves
Gen Keep Was Store Brea Prot	<b>aral protective and hygienic measures: b</b> away from foodstuffs, beverages and feed. <b>b</b> hands before breaks and at the end of work. <b>b</b> protective clothing separately. <b>b</b> thing equipment: Not required. <b>b</b> Protective gloves <b>c</b> protective gloves <b>c</b> glove material has to be impermeable and resistant to the product/ the substance/ the preparation to the glove material can be given for the product/ the substance/ the pro
Gen Keep Was Store Brea Prot	eral protective and hygienic measures: b away from foodstuffs, beverages and feed. h hands before breaks and at the end of work. b protective clothing separately. hthing equipment: Not required. ection of hands:

(Contd. on page 6) US



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

#### Trade name: GO902 WHITE

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## • **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

General Information		
<ul> <li>Appearance:</li> <li>Form:</li> <li>Color:</li> <li>Odor:</li> <li>Odor threshold:</li> </ul>	Fluid According to product description Characteristic Not determined.	
∙ pH-value at 20 °C (68 °F):	7.4-8.4	
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. 100 °C (212 °F)	
Flash point:	68 °C (154.4 °F)	
· Flammability:	Not applicable.	
· Auto igniting:	240 °C (464 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F): · Relative density · Vapor density	1.185 g/cm³ (9.88883 lbs/gal) Not determined. Not determined.	

Page 6/12

(Contd. of page 5)



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Page 7/12

#### Trade name: GO902 WHITE

	(Cor	ntd. of page 6
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	7.7 %	
Water:	51.8 %	
Coating VOC content:	7.65 %	
-	234.7 g/l / 1.96 lb/gal	
Material VOC content:	90.7 g/l / 0.76 lb/gal	
Solids content:	39.6 %	
Other information	No further relevant information available.	

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values tha	t are relevant for classification:
111-76-2	2-butoxye	thanol
Oral	LD50	1,200 mg/kg (ATE)
		1,200 mg/kg (ATE) 1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)
		(Contd. on page 8)

(Contd. on page 8

<sup>-</sup> US



#### Page 8/12

2B

3

3 2B

## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

#### Trade name: GO902 WHITE

(Contd. of page 7)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
   The product shows the following dangers according to internal

The product shows the following dangers according to internally approved calculation methods for preparations:

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer	)

13463-67-7 titanium dioxide

111-76-2 2-butoxyethanol

67-63-0 propan-2-ol

140-88-5 ethyl acrylate

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 9)

<sup>·</sup> Toxicity



#### Page 9/12

## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO902 WHITE

(Contd. of page 8)

#### 13 Disposal considerations

#### · Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### · Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

14 Transport information	
--------------------------	--

NOT APPLICABLE
NOT APPLICABLE
NOT APPLICABLE NOT APPLICABLE
NOT APPLICABLE
No
Not applicable.
l of Not applicable.

#### 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

111-76-2 2-butoxyethanol

67-63-0 propan-2-ol

140-88-5 ethyl acrylate

#### · TSCA (Toxic Substances Control Act):

7732-18-5 water, distilled, conductivity or of similar purity

ACTIVE (Contd. on page 10)



# Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Page 10/12

## Trade name: GO902 WHITE

13463-67-7	titanium dioxide	(Contd. of page ACT/V
	2-butoxyethanol	ACTIVI
	propan-2-ol	ACTIVI
	2-dimethylaminoethanol	ACTIVI
	2-Ethyl-1-hexanol	ACTIV
140-88-5	ethyl acrylate	ACTIVI
Hazardous	Air Pollutants	
140-88-5 e	hyl acrylate	
Proposition	n 65	
Chemicals	known to cause cancer:	
	titanium dioxide	
140-88-5	ethyl acrylate	
Chemicals	known to cause reproductive toxicity for female	s:
None of the	ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
Chemicals	known to cause developmental toxicity:	
None of the	ingredients is listed.	
Carcinoger	nic categories	
EPA (Envir	onmental Protection Agency)	
111-76-2 2	butoxyethanol	N
TLV (Thres	hold Limit Value)	· · ·
13463-67-7	titanium dioxide	A
111-76-2	2-butoxyethanol	A
67-63-0	propan-2-ol	A
140-88-5	ethyl acrylate	A
NIOSH-Ca	National Institute for Occupational Safety and H	lealth)
13463-67-7	titanium dioxide	
140-88-5	ethyl acrylate	
GHS label	elements	



Page 11/12

## Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO902 WHITE

(Contd. of page 10)

Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling: titanium dioxide
- · Hazard statements Combustible liquid. Suspected of causing cancer. Route of exposure: Inhalation.
- · Precautionary statements

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from flames and hot surfaces. - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- · Date of preparation / last revision 11/16/2024 / 1.0 · Abbreviations and acronyms: EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, ÉU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value

(Contd. on page 12)

US



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO902 WHITE

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable liquids 4: Flammable liquids – Category 4 Carcinogenicity 2: Carcinogenicity – Category 2 • \* Data compared to the previous version altered.

(Contd. of page 11)

US

Page 12/12