

Page 1/10

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

## 1 Identification

- · Product identifier
- · Trade name: <u>GO937 ORANGE</u>
- · Article number: GO937
- · Application of the substance / the mixture refer to the relevant Technical Data Sheet
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: General Paint Co. S.A.L. P.O. Box 7623 Beirut LEBANON info@generalpaint.biz

- · Information department: Product Safety Department
- Emergency telephone number: 1-800-535-5053 contract number (89244)

#### 2 Hazard(s) identification

Classification of the substance or mixture
Flammable liquids 4 H227 Combustible liquid.

#### · Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms Void
- · Signal word Warning
- · Hazard statements Combustible liquid.
- Brocoutionary state
- · Precautionary statements

Keep away from flames and hot surfaces. – No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



(Contd. on page 2)

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO937 ORANGE

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

111-76-2 2-butoxyethanol

## 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- 6 Accidental release measures
- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

US



>2.5-*≤*10%

(Contd. of page 1)

Page 2/10



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

#### Trade name: GO937 ORANGE

<i></i>		(Co	ontd. of page 2
	contaminated material as waste according to section 13.		
	ce to other sections		
	erous substances are released.		
	tion 7 for information on safe handling.		
	tion 8 for information on personal protection equipment.		
	tion 13 for disposal information.		
	ve Action Criteria for Chemicals		
PAC-1:			
111-76-2	2-butoxyethanol		60 ppm
67-63-0	propan-2-ol		400 ppm
108-01-0	2-dimethylaminoethanol		3.7 ppm
140-88-5	ethyl acrylate		8.3 ppm
PAC-2:			
111-76-2	2-butoxyethanol		120 ppm
67-63-0	propan-2-ol		2000* ppm
108-01-0	2-dimethylaminoethanol		12 ppm
140-88-5	ethyl acrylate		36 ppm
PAC-3:			
111-76-2	2-butoxyethanol	70	00 ppm
67-63-0	propan-2-ol	12	2000** ppm
108-01-0	2-dimethylaminoethanol	72	2 ppm
140-88-5	ethyl acrylate	24	40 ppm

## 7 Handling and storage

· Handling:

· Precautions for safe handling No special precautions are necessary if used correctly.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · Specific end use(s) No further relevant information available.

(Contd. on page 4)

US

Page 3/10



Page 4/10

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO937 ORANGE

(Contd. of page 3)

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

#### 111-76-2 2-butoxyethanol

- PEL Long-term value: 240 mg/m<sup>3</sup>, 50 ppm Skin
- REL Long-term value: 24 mg/m<sup>3</sup>, 5 ppm Skin TLV Long-term value: 20 ppm
- BEI, A3

· Ingredients with biological limit values:

## 111-76-2 2-butoxyethanol BEI 200 mg/g creatinine

Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis)

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

US

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

## Trade name: GO937 ORANGE

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

## 9 Physical and chemical properties

Appearance: Form:	Fluid	
Color:	According to product description	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	7.4-8.4	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	68 °C (154.4 °F)	
Flammability:	Not applicable.	
Auto igniting:	240 °C (464 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.03 g/cm³ (8.59535 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined	



Page 5/10

(Contd. of page 4)



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Page 6/10

#### Trade name: GO937 ORANGE

	(Contd. of pa	age :
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	8.9 %	
Water:	59.2 %	
Coating VOC content:	8.90 %	
-	235.0 g/l / 1.96 lb/gal	
Material VOC content:	91.6 g/l / 0.76 lb/gal	
Solids content:	30.6 %	
• Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	) values	that are	relevant for	classification:
-----------	----------	----------	--------------	-----------------

#### 111-76-2 2-butoxyethanol

Oral	LD50 1,200 mg/kg (A	
		1,200 mg/kg (ATE) 1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)

#### Primary irritant effect:

- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 7)

US



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO937 ORANGE

· Additional	toxicological	information:
--------------	---------------	--------------

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

111-76-2 2-butoxyethanol

67-63-0 propan-2-ol

140-88-5 ethyl acrylate

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

(Contd. of page 6)

3

3

2B

Page 7/10

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO937 ORANGE

(Contd. of page 7)

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	NOT APPLICABLE
UN proper shipping name	NOT APPLICABLE
Transport hazard class(es)	NOT APPLICABLE NOT APPLICABLE
Packing group	NOT APPLICABLE
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.

## 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
111-76-2 2-butoxyethanol	
67-63-0 propan-2-ol	
140-88-5 ethyl acrylate	
TSCA (Toxic Substances Control Act):	
7732-18-5 water, distilled, conductivity or of similar purity	ACTIVI
111-76-2 2-butoxyethanol	ACTIVI
67-63-0 propan-2-ol	ACTIVI
108-01-0 2-dimethylaminoethanol	ACTIVI
	ACTIV



Page 8/10



Page 9/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO937 ORANGE

140-00-0	ethyl acrylate	
· Proposit	ion 65	
· Chemica	als known to cause cancer:	
140-88-5	ethyl acrylate	
· Chemica	als known to cause reproductive toxicity for females:	
None of a	the ingredients is listed.	
· Chemica	als known to cause reproductive toxicity for males:	
None of a	the ingredients is listed.	
· Chemica	als known to cause developmental toxicity:	
None of a	the ingredients is listed.	
· Carcino	genic categories	
	vironmental Protection Agency)	
•	2-butoxyethanol	Ν
· TLV (Th	reshold Limit Value)	
•	2-butoxyethanol	A
67-63-0	propan-2-ol	A
140-88-5	ethyl acrylate	A
· NIOSH-C	Ca (National Institute for Occupational Safety and Health)	
140-88-5	ethyl acrylate	
The prod Hazard µ Signal w Hazard s Combust Precauti Keep aw Wear pro In case o Store in a	el elements Juct is classified and labeled according to the Globally Harmonized System (GHS). Dictograms Void word Warning Statements ible liquid. Onary statements ay from flames and hot surfaces. – No smoking. Difective gloves/protective clothing/eye protection/face protection. of fire: Use CO2, powder or water spray to extinguish. a well-ventilated place. Keep cool. of contents/container in accordance with local/regional/national/international regulations.	

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. (Contd. on page 10)



Page 10/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO937 ORANGE

	(Contd. of page
Department issuing SDS: Product safety department	
Contact: N/A	
Date of preparation / last revision 11/16/2024 / 1.0	
Abbreviations and acronyms:	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, ÉU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit Flammable liquids 4: Flammable liquids – Category 4	
* Data compared to the previous version altered.	