

Page 1/11

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

1 Identification

- · Product identifier
- · Trade name: GO972 PEARL WHITE
- · Article number: G0972
- · Application of the substance / the mixture refer to the relevant Technical Data Sheet
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: General Paint Co. S.A.L. P.O. Box 7623 Beirut LEBANON info@generalpaint.biz

- · Information department: Product Safety Department
- Emergency telephone number: 1-800-535-5053 contract number (89244)

2 Hazard(s) identification

Classification of the substance or mixture
 Flammable liquids 4 H227 Combustible liquid.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements Combustible liquid.
- · Precautionary statements
- Keep away from flames and hot surfaces. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



(Contd. on page 2)

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO972 PEARL WHITE

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- 111-76-2 2-butoxyethanol
- 67-63-0 propan-2-ol

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. of page 1)

>2.5-*≤*10%

*≤*2.5%

Page 2/11



(Contd. on page 3)



Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO972 PEARL WHITE

		(Contd. of page 2
Absorb with Dispose co • Reference No dangero See Sectio See Sectio See Sectio	and material for containment and cleaning up: h liquid-binding material (sand, diatomite, acid binders, universion ontaminated material as waste according to section 13. to other sections ous substances are released. on 7 for information on safe handling. on 8 for information on personal protection equipment. on 13 for disposal information. Action Criteria for Chemicals	sal binders, sawdust).
· PAC-1:		
111-76-2	2-butoxyethanol	60 ppm
	propan-2-ol	400 ppm
	2-dimethylaminoethanol	3.7 ppm
	2-methoxy-1-methylethyl acetate	50 ppm
1330-20-7	xylene	130 ppm
100-41-4	ethylbenzene	33 ppm
140-88-5	ethyl acrylate	8.3 ppm
· PAC-2:		
111-76-2	2-butoxyethanol	120 ppm
67-63-0	propan-2-ol	2000* ppm
108-01-0	2-dimethylaminoethanol	12 ppm
108-65-6	2-methoxy-1-methylethyl acetate	1,000 ppm
1330-20-7	xylene	920* ppm
100-41-4	ethylbenzene	1100* ppm
140-88-5	ethyl acrylate	36 ppm
· PAC-3:		· · · · · ·
111-76-2	2-butoxyethanol	700 ppm
67-63-0	propan-2-ol	12000** ppm
108-01-0	2-dimethylaminoethanol	72 ppm
108-65-6	2-methoxy-1-methylethyl acetate	5000* ppm
1330-20-7	xylene	2500* ppm
100-41-4	ethylbenzene	1800* ppm
140 00 E	ethyl acrylate	240 ppm

(Contd. on page 4)

Page 3/11



Page 4/11

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO972 PEARL WHITE

(Contd. of page 3)

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· (Control	parameters
-----	---------	------------

111-	76-2 2-butoxyethanol	
PEL	Long-term value: 240 mg/m³, 50 ppm Skin	
REL	Long-term value: 24 mg/m³, 5 ppm Skin	
TLV	Long-term value: 20 ppm BEI, A3	
67-6	3-0 propan-2-ol	
PEL	Long-term value: 980 mg/m³, 400 ppm	
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm	
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4	
Ingre	edients with biological limit values:	
111-	76-2 2-butoxyethanol	
	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis)	
		(Contd. on pag



Page 5/11

(Contd. of page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO972 PEARL WHITE

67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

Information on basic physical a General Information	nd chemical properties	
Appearance:		
Form:	Fluid	
Color:	According to product description	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	7.4-8.4	



Safety Data Sheet acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Page 6/11

Trade name: GO972 PEARL WHITE

		(Contd. of page
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
Flash point:	68 °C (154.4 °F)	
Flammability:	Not applicable.	
Auto igniting:	240 °C (464 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	1.065 g/cm ³ (8.88743 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
Solvent content: Organic solvents: Water: Coating VOC content: Material VOC content:	7.5 % 69.6 % 7.47 % 307.8 g/l / 2.57 lb/gal 79.5 g/l / 0.66 lb/gal	
Solids content:	22.6 %	
Other information	No further relevant information available.	

(Contd. on page 7)



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO972 PEARL WHITE

(Contd. of page 6)

Page 7/11

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

 LD/LC50 values that are relevant for classification 	:
---	---

111-76-2 2-butoxyethanol

-	···· ,	
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
	LD50	1,200 mg/kg (ATE) 1,480 mg/kg (rat) 400 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)

Primary irritant effect:

- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
111-76-2	2-butoxyethanol	3
67-63-0	propan-2-ol	3
1330-20-7	xylene	3
100-41-4	ethylbenzene	2B
140-88-5	ethyl acrylate	2E
· NTP (Natio	onal Toxicology Program)	
None of the	e ingredients is listed.	
		(Contd. on page



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO972 PEARL WHITE

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	NOT APPLICABLE	
· UN proper shipping name	NOT APPLICABLE	
· Transport hazard class(es)	NOT APPLICABLE NOT APPLICABLE	
· Packing group	NOT APPLICABLE	

(Contd. of page 7)



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO972 PEARL WHITE

• Environmental hazards: • Marine pollutant:

· Special precautions for user

Not applicable.

No

 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Soction 2	55 (extremely hazardous substances):
	e ingredients is listed.
	13 (Specific toxic chemical listings):
111-76-2	2-butoxyethanol
67-63-0	propan-2-ol
1330-20-7	xylene
100-41-4	ethylbenzene
140-88-5	ethyl acrylate
· TSCA (To	xic Substances Control Act):
All compor	nents have the value ACTIVE.
· Hazardou:	s Air Pollutants
1330-20-7	xylene
100-41-4	ethylbenzene
140-88-5	ethyl acrylate
· Propositio	on 65
· Chemicals	s known to cause cancer:
100-41-4	ethylbenzene
140-88-5	ethyl acrylate
· Chemicals	s known to cause reproductive toxicity for females:
None of the	e ingredients is listed.
· Chemicals	s known to cause reproductive toxicity for males:
None of the	e ingredients is listed.
	(Contd. on page 10)
	- US

Page 9/11

(Contd. of page 8)



Page 10/11

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO972 PEARL WHITE

· Chemical	(Contd. o s known to cause developmental toxicity:	13-
None of th	ne ingredients is listed.	
Carcinog	enic categories	
· EPA (Env	ironmental Protection Agency)	
111-76-2	2-butoxyethanol	N
1330-20-7	xylene	1
100-41-4	ethylbenzene	D
· TLV (Thre	eshold Limit Value)	
111-76-2	2-butoxyethanol	A
67-63-0	propan-2-ol	A
1330-20-7	xylene	A
100-41-4	ethylbenzene	A
140-88-5	ethyl acrylate	A
NIOSH-Ca	a (National Institute for Occupational Safety and Health)	
	ethyl acrylate	
The product Hazard product Signal work Hazard st Combustil Precaution Keep awa		

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: N/A
- Date of preparation / last revision 11/16/2024 / 1.0

 Abbreviations and acronyms: EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)

US



acc. to OSHA HCS

Printing date 11/16/2024

Reviewed on 11/16/2024

Trade name: GO972 PEARL WHITE

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable liquids 4: Flammable liquids – Category 4 • * **Data compared to the previous version altered.** (Contd. of page 10)

Page 11/11

US -